



LECTERN

Lead a Forum with a Forum™

The Forum™ Collaboration Suite Lectern—an ADA-compliant*, educator inspired, integrator friendly lectern/teaching station from Middle Atlantic Products—is designed to support a full AV system (equipment mounting, cable management, thermal management and power distribution), all while enhancing the educator’s teaching experience with features like electric height adjustability (28” to 42”) and accommodations for teaching technology (microphones, confidence monitors, clock timers, control system touch panels and more).

Available in four colorways utilizing the most popular HPL (high pressure laminate) designs from Wilsonart®, complimentary PET acoustic felt, and powder coat to match any space.

FEATURES

- Colorways
 - Wilsonart® Designer White, white powder coat, silver gray PET felt
 - Wilsonart® Asian Night, graphite powder coat, charcoal gray PET felt
 - Wilsonart® Biltmore Cherry, magnesium powder coat, charcoal gray PET felt
 - Wilsonart® Kensington Maple, magnesium powder coat, silver gray PET felt
- Available in three widths to fit in spaces from small classrooms to large lecture halls.
 - 42” (106.7cm)
 - 60” (152cm)
 - 72” (182.9cm)



72” Wide in Kensington Maple



60” Wide in Designer White



60” Wide in Asian Night



42” Wide in Biltmore Cherry

*42” and 60” wide Forum Lecterns are ADA-compliant for wheelchair space when used without the 6RU undermount rack (PN: FMR-6UT6x-FD). 72” wide models are ADA-compliant with the 6RU undermount rack.

LECTERN

OPTIONS

- Worksurfaces
 - Turret
 - 24" Full Turret with customizable Presenter's Panel™ and knockouts for microphones and task lights
 - 13" Half Turret with customizable Presenter's Panel™ and knockouts for microphones and task lights
 - Flat
 - Customizable Presenter's Panel™ and knockouts for microphones and task lights
- Logo Panels
 - 34"x14"
 - 26"x14"
 - 18"x14"
 - 14" Round
- Side Racks – available in in the same four colorways with LeverLock
 - 12RU
 - 16RU
 - 20RU
- 6RU Undermount Rack
- Caster Kits are available to provide lectern mobility in the space or to-and-from different spaces



24" Full Turret



13" Half Turret



Customizable
Presenter's Panel™



34"x14" Logo Panel



20RU in Biltmore Cherry



Magnesium Powder Coat



LECTERN







SPECIFICATIONS

Height-adjustable AV Lectern shall be Middle Atlantic Products model # FML-__A____-__ (refer to chart). Height-adjustable AV Lectern shall be available in 42", 60", or 72" widths. Overall dimensions shall be __" H x __W" x 27" D (refer to chart). Height-adjustable AV Lectern frames shall ship flat (knockdown) and be constructed of steel. Height-adjustable AV lectern panels shall ship flat (knockdown) and be constructed of 100% polyester PET felt with 50% made from recycled plastic bottles. Total weight capacity shall be 160 lbs. Height-adjustable AV Lectern rack shall include a __ Amp, _ outlet power strip with a __' cord (refer to legrandav.com). Models with turret worksurface shall have customizable Presenter's Panel, which can accept touchscreens and other panel mounted devices. Models with a flat worksurface shall have a customizable Presenter's Panel, which can accept table boxes and other panel mounted devices. Height-adjustable AV Lectern shall be finished in a durable _____ powder coat (refer to chart for color). Worksurface shall be available in High Pressure Laminate materials, visit LegrandAV.com for list of available finishes. Height-adjustable shall comply with the requirements of RoHS EU Directive 2011/96/EU. Height-adjustable AV Lectern rack shall be manufactured by an ISO 9001 and ISO 14001 registered company. Height adjustable AV Lectern and Side Rack shall be ETL-listed in the US and Canada. Height-adjustable AV Lectern included power shall be UL or CE listed. Height-adjustable AV Lectern frame shall be warranted to be free from defects in material or workmanship under normal use and conditions for 25 years for the frame, electric lift systems shall be warranted for a period of 3 years.



FORUM™ LECTERN

BASIC DIMENSIONS



LECTERN P/N	TABLE WIDTH A	INSIDE WIDTH B	TOP OPENING WIDTH C	WEIGHT CAPACITY (LB [KG])
FML-42AXXY-ZZ	42 [1067]	31 [787]	22.13 [562]	160 [73]
FML-60AXXY-ZZ	60 [1524]	49 [1245]	44.12 [1121]	160 [73]
FML-72AXXY-ZZ	72 [1829]	61 [1549]	44.12 [1121]	160 [73]


XX - INDICATES CHOICE OF WOOD FINISH.
 YY - INDICATES CHOICE OF METAL FINISH
 ZZ - INDICATES CHOICE OF REGION: USC,UK,FR,EU
 REFER TO WWW.LEGRANDAV.COM FOR OPTIONS

FORUM™ LECTERN

BASIC DIMENSIONS

NOTE(S):

1. ALL DIMENSIONS SHOWN IN FORMAT: INCHES [MILLIMETERS]
2. USABLE DEPTH IS THE MAX. EQUIPMENT DEPTH
3. LEVELING FOOT ADJUSTMENT ALLOWS FOR USE OF CONNECTRAC OR WIREMOLD OVER FLOOR RACEWAY
4. CONNECTOR BRACKET ONLY USED WHEN JOINING FORUM LECTERN. LEFT AND RIGHT CONNECTION AVAILABLE



RACK P/N	OVERALL HEIGHT WITH LEVELERS A	OVERALL HEIGHT WITH OPTIONAL CASTERS	USABLE HEIGHT B	WEIGHT CAPACITY (LBS [KG])
FMR-1227XXYY	28.00 [711]	31.5 [800]	21.00 [533] 12 RACK UNIT	300 [136]
FMR-1627XXYY	35.00 [889]	38.5 [978]	28.00 [711] 16 RACK UNIT	300 [136]
FMR-2027XXYY	42.00 [1067]	45.5 [1156]	35.00 [889] 20 RACK UNIT	300 [136]



XX - INDICATES CHOICE OF WOOD FINISH.
 YY - INDICATES CHOICE OF METAL FINISH
 REFER TO WWW.LEGRANDAV.COM FOR OPTIONS

FORUM™ LECTERN



BASIC DIMENSIONS

NOTE(S):


1. ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
2. OPTIONAL UNDER MOUNT RACK P/N: FMR-6UM6XX-FD
XX INDICATES SELECTION OF METAL FINISH
REFER TO WWW.LEGRANDAV.COM FOR OPTIONS
3. WEIGHT CAPACITY: 40 LBS [18 KG]




DETAIL D
SCALE 1 : 2




TOP VIEW



FRONT VIEW




OPTIONAL UNDER MOUNT RACK
P/N: FMR-6UM6XX-FD
MULTIPLE MOUNTING POSITIONS AVAILABLE
SEE TABLE




LECTERN WIDTH	AVAILABLE MOUNTING POSITIONS
42	CENTER
60	LEFT/RIGHT
72	LEFT/RIGHT

FORUM™ LECTERN


BASIC DIMENSIONS





72" WIDE LECTERN - 4 AVAILABLE POSITIONS




60" WIDE LECTERN - 4 AVAILABLE POSITIONS



42" WIDE LECTERN - 2 AVAILABLE POSITIONS




INTERCHANGEABLE MODULES ALLOW FOR CONFIGURABLE WORKSURFACE
SEE WWW.LEGRANDAV.COM FOR MORE INFORMATION




SIZE OF ONE POSITION


AVAILABLE WORKSURFACE MODULES



FULL TURRET W/ PRESENTER'S PANEL
2 POSITIONS



HALF TURRET
W/ PRESENTER'S PANEL & FILLER PANEL
2 POSITIONS



FLAT PRESENTER'S PANEL
2 POSITIONS



FILLER PANEL
1 POSITION
SEE TABLE


LECTERN WIDTH	AVAILABLE POSITIONS	PREINSTALLED FILLER PANELS
72	4	2
60	4	2
42	2	0

FORUM™ LECTERN

BASIC DIMENSIONS

NOTE(S):

1. ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
2. TURRETS ARE SELECTED AS WORKSURFACE MODULES
SEE PAGE 4 OR WWW.LEGRANDAV.COM FOR MORE INFORMATION
3. BLANK TURRET PRESENTER PANELS AVAILABLE FOR CUSTOM CUTOUTS AVAILABLE



TURRET P/N	PRESENTER'S PANEL P/N	TURRET TOP WIDTH A	TURRET WIDTH BASE B	PANEL WIDTH C	USABLE WIDTH D
FMT-13XXYY	FMP-09-A-UNCUT	13.13 [333]	10.97 [279]	9.00 [229]	8.00 [203]
FMT-24XXYY	FMP-20-A-UNCUT	24.13 [613]	22.00 [559]	20.00 [508]	13.00 [330]


XX - INDICATES CHOICE OF WOOD FINISH.
YY - INDICATES CHOICE OF METAL FINISH
REFER TO WWW.LEGRANDAV.COM FOR OPTIONS

FORUM™ LECTERN


BASIC DIMENSIONS

NOTE(S):



1. ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
2. PRESENTER'S PANELS ARE SELECTED AS WORKSURFACE MODULES
SEE PAGE 4 OR WWW.LEGRANDAV.COM FOR MORE INFORMATION
3. BLANK PANEL AVAILABLE FOR CUSTOM CUTOUTS



P/N: FMP-22-A-UNCUT



FILLER PANEL
SEE PAGE 4




P/N: FMP-22-A-NETBOX
PRECUT FOR A&H MEYER NETBOX AXIAL POWER MODULE
SEE PAGE 7

ACCESSORY PANEL OPTIONS



TASKLIGHT-DIM-18
SCALE: 1/8




L5-SHOC-XLR-S
SCALE 3:8

FORUM™ LECTERN



BASIC DIMENSIONS

NOTE(S):


1. ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
2. SEE WWW.AHMEYER.DE FOR MORE INFORMATION



SIMILAR CONFIGURATION FOR BOTH NETBOX M AND AXIAL MODELS
SCALE: 1/2



A&H MEYER NETBOX M AVAILABLE ON TURRET LECTERN MODELS
SEE TABLE FOR OPTIONS




A&H MEYER NETBOX AXIAL AVAILABLE ON FLAT LECTERN MODELS
SEE TABLE FOR OPTIONS


NETBOX P/N	REGION	POWER RECEPTACLE A	COMPATIBLE COMPONENT
2XC6G15483	US,CAN	NEMA 5-15	FLAT
MF70GBYM83	US,CAN	NEMA 5-15	TURRET
2XC6G17013	EUR	SCHUKO	FLAT
MF70GC1013	EUR	SCHUKO	TURRET
2XC6G17053	FRAN	BEK	FLAT
MF70GC1053	FRAN	BEK	TURRET
2XC6G14X33	UK	GB-Y FUSED	FLAT
MF70GC2X33	UK	GB-Y FUSED	TURRET

FORUM™ LECTERN

BASIC DIMENSIONS




LOGO14R
SCALE: 1/8




ALUMINUM LOGO PANEL
SCALE: 1/8
AVAILABLE IN 4 SIZES. SEE TABLE FOR OPTIONS


KNOCKOUTS ON LECTERN REAR DOOR
FOR LOGO PANEL INSTALLATION



FRONT VIEW
SCALE 1:8



DETAIL E
SCALE 1 : 2



LOGO PANEL P/N	PART DESCRIPTION	PANEL WIDTH A	COLOR
LOGO1814	CUSTOM,PRINTED, LOGO,18WX14H,W	18 [457]	WHITE
LOGO2614	CUSTOM,PRINTED, LOGO,26WX14H,W	26 [660]	WHITE
LOGO3414	CUSTOM,PRINTED, LOGO,34WX14H,W	34 [864]	WHITE
LOGO14R	CUSTOM,PRINTED, LOGO,14ROUND,W	SEE VIEW	WHITE

NOTE(S):

1. ALL DIMENSIONS SHOWN IN FORMAT: INCHES [MILLIMETERS]
2. TO ORDER, FULL PART NUMBER MUST BE CREATED SEE WWW.LEGRANDAV.COM
3. SIZE OF PANEL USED DEPENDENT ON SUBMITTED LOGO DESIGN

LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

WHAT GREAT SYSTEMS ARE BUILT ON™ | legrandav.com

USA 800.266.7225 av.middleatlantic.support@legrand.com CANADA 888.766.9770 av.middleatlantic.support@legrand.com

©2025 Legrand AV Inc. 240387 Rev C 7/25 Middle Atlantic is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.